

## IN THE CLAIMS

1 (Currently Amended). A method comprising:  
receiving content and an advertisement;  
storing said content, including an interruptible content portion, and advertisement  
in a cache coupled to said receiver;  
finding a place to insert the advertisement in said portion while said portion is still  
stored in said cache;  
inserting said advertisement in said portion; and  
outputting for display said portion with said inserted advertisement.  
~~allowing the use of a first content on a content receiver;~~  
~~automatically interrupting the use of the first content; and~~  
~~causing the receiver to temporarily replace the first content with second content.~~

2 (Currently Amended). The method of claim 1 including receiving said ~~first and~~  
~~second~~ content over a broadband distribution system.

3 (Original). The method of claim 2 including receiving television programming.

4 (Currently Amended). The method of claim 1 wherein inserting the advertisement  
in said portion ~~temporarily replacing the first content with the second content~~ includes  
periodically replacing the at least part of said first content with the ~~second content~~ advertisement.

Claim 5 (Canceled).

6 (Original). The method of claim 1 including receiving digital content and  
demodulating said content.

7 (Original). The method of claim 6 including parsing content and control information.

8 (Original). The method claim 7 wherein parsing content from control information includes parsing from said content, instructions for determining when said content may be interrupted.

9 (Original). The method of claim 7 including receiving instructions from a back channel for controlling the interruption of said content.

10 (Original). The method of claim 1 including receiving encrypted content and controlling the decryption of said content to prevent theft of said content.

11 (Currently Amended). ~~An article comprising a~~ A medium for storing instructions that, if executed, enable a processor-based system to:

receive content and an advertisement;

store said content, including an interruptible content portion, and advertisement in a cache coupled to said receiver;

find a place to insert the advertisement while said portion is still stored in said cache;

insert said advertisement in said portion; and

output for display said portion with said inserted advertisement.

~~allow the use of a first content on the system;~~

~~automatically interrupt the use of the first content; and~~

~~cause the system to temporarily replace the first content with second content.~~

12 (Currently Amended). The medium ~~article~~ of claim 11 further storing instructions that enable a processor-based to receive said ~~first and second~~ content over a broadband distribution system.

13 (Currently Amended). The medium ~~article~~ of claim 12 further storing instructions that enable a processor-based system to receive television programming.

14 (Currently Amended). The medium ~~article~~ of claim 11 further storing instructions that enable a processor-based system to periodically replace the ~~first~~ content with the ~~second~~ content advertisement.

15 (Currently Amended). The medium ~~article~~ of claim 11 further storing instructions that enable a processor-based system to receive digital content and to demodulate said content.

16 (Currently Amended). The medium ~~article~~ of claim 15 further storing instructions that enable a processor-based system to parse content from control information.

17 (Currently Amended). The medium ~~article~~ of claim 16 further storing instructions that enable a processor-based system to parse from said content, instructions for determining when said first content may be interrupted.

18 (Currently Amended). The medium ~~article~~ of claim 16 further storing instructions that enable a processor-based system to receive instructions from a back channel for controlling the interruption of said content.

19 (Currently Amended). The medium ~~article~~ of claim 11 further storing instructions that enable a processor-based system to receive encrypted content and control the decryption of said content to prevent theft of said content.

Claims 20-30 (Canceled).

31 (New). A system comprising:  
a receiver to receive content, including an interruptible content portion and an advertisement;  
a cache, coupled to said receiver, to store said content and advertisement; and  
an interface, in said receiver, to find a place to insert the advertisement in said portion while said portion is still stored in said cache, insert said advertisement in said portion and output for display, said portion with an inserted advertisement.

- 32 (New). The system of claim 31 wherein said system is a television receiver.
- 33 (New). The system of claim 31 coupled to a back channel for receiving instructions about when to replace the content with the advertisement.
- 34 (New). The system of claim 31 including a device that parses content from instructions for replacing said content with said advertisement.
- 35 (New). The system of claim 34 wherein said device also parses instructions for how to store said content and said advertisement.
- 36 (New). The system of claim 31 wherein said shell periodically replaces the content with the advertisement.
- 37 (New). The system of claim 31 wherein said receiver includes a tuner that tunes to a digital channel and demodulates said content and advertisement.
- 38 (New). The system of claim 31 wherein said receiver parses said content and said advertisement from control information.
- 39 (New). The system of claim 38 wherein said receiver parses from said content and said advertisement, instructions for determining when said content may be interrupted.
- 40 (New). The system of claim 31 wherein said shell controls the decryption of said content to prevent theft of said content.
- 41 (New). The system of claim 35 including content guide software to receive interruption instructions for interrupting said content and replacing it with said advertisement.

42 (New). The system of claim 31 wherein said shell is coupled to said cache to allow the use of the content received by said receiver, automatically interrupt the use of the content, and temporarily replace the content with the advertisement.

43 (New). The system of claim 31 wherein said cache is an encrypted cache.

44 (New). The method of claim 1 wherein finding includes detecting that said user paused using said content, and retrieving said advertisement from said cache when it is detected that said user paused using said content.

45 (New). The method of claim 44 wherein detecting includes detecting that the user temporarily stopped using the content.

46 (New). The method of claim 1 including displaying content information with said advertisement.

47 (New). The method of claim 1 including inserting said advertisement in response to a pause in the display of said content.